UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/550,182	09/21/2005	Mats Inganas	P02774US1	8048
	7590 09/29/200 & JAWORSKI, LLP	EXAMINER		
1301 MCKINN		HURST, JONATHAN M		
SUITE 5100 HOUSTON, TX 77010-3095			ART UNIT	PAPER NUMBER
			1797	
			NOTIFICATION DATE	DELIVERY MODE
			09/29/2009	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

nstacey@fulbright.com twrye@fulbright.com hoipdocket@fulbright.com

	Application No.	Applicant(s)
	10/550,182	INGANAS, MATS
Office Action Summary	Examiner	Art Unit
	JONATHAN M. HURST	1797
The MAILING DATE of this communication app Period for Reply	pears on the cover sheet with the c	correspondence address
A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING D - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period - Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailin earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 136(a). In no event, however, may a reply be tinwill apply and will expire SIX (6) MONTHS from e, cause the application to become ABANDONE	N. nely filed the mailing date of this communication. D (35 U.S.C. § 133).
Status		
Responsive to communication(s) filed on <u>14 S</u> This action is FINAL . 2b) ☐ This action is FINAL . Since this application is in condition for alloware closed in accordance with the practice under the second s	s action is non-final. ince except for formal matters, pro	
Disposition of Claims		
4) Claim(s) 1-15 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) Claim(s) is/are allowed. 6) Claim(s) 1-15 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o Application Papers 9) The specification is objected to by the Examine	wn from consideration. or election requirement. er.	
10)☑ The drawing(s) filed on 21 September 2005 is/ Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11)☐ The oath or declaration is objected to by the Explanation is	drawing(s) be held in abeyance. Section is required if the drawing(s) is ob-	e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d).
Priority under 35 U.S.C. § 119		
 12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority application from the International Burea * See the attached detailed Office action for a list 	ts have been received. ts have been received in Applicati ority documents have been receive u (PCT Rule 17.2(a)).	on No ed in this National Stage
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal F 6) Other:	ate

Art Unit: 1797

DETAILED ACTION

Continued Examination Under 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 09/14/2009 has been entered.

Claim Rejections - 35 USC § 103

- 2. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 3. The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:
 - 1. Determining the scope and contents of the prior art.
 - 2. Ascertaining the differences between the prior art and the claims at issue.
 - 3. Resolving the level of ordinary skill in the pertinent art.
 - 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Art Unit: 1797

4. Claims 1-12 and 15 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mian et al. (US 6,319,469) in view of Sucholeiki (US 5,858,534).

Regarding claims 1, 4, and 15 Mian et al. discloses a collection of one or more microfluidic devices which together carry a plurality of microchannel structures each of which comprises a reaction microcavity in which there is a solid phase, a porous bed of paramagnetic bead particles, with an immobilized affinity ligand L, (See Fig. 1A, Fig. 1C, Fig. 17L, and Col. 43 Lines 25-40), wherein

- (i) the plurality comprises two or more different sets of microchannel structures, (See Fig. 17L where each disk layer comprises a set of different channels Fig. 17A where disk contains sets of different channels and Col. 33 Lines 33-36 where a device performs a set of procedures or multiple embodiments of the same procedure), and
 - (ii) the affinity ligand L is directed to the same counterpart (binder, B) independent of set, and (See Col. 33 Lines 33-36 where sets of the same procedure are performed) and
 - (iii) the sets differ with respect to
 - a) the capacity for binder B per reaction microcavity and/or the capacity per unit volume of the solid phase in a reaction microcavity, and/or (See Col. 8 Lines 30-35 where reservoirs act as microcavity and sizes differ depending upon embodiment and thus have different capacities for reagents) and

b) the base matrix of the solid phase between the sets but are equal within each set. (See Fig. 17L where base is different for each set of channels)

The microchannels, and reaction microcavity, have surfaces exposing a plurality of polar functional groups such that the surfaces of the walls are hydrophilic (See Col. 14 Line 45 – Col. 15 Line 45 where the walls of the microchannels and of microcavities are modified to have hydrophilic surfaces with polar functional groups to improve adsorption of specific materials) especially since the materials used are modified to have hydrophilic groups and thus the microchannels and microcavities, which are etched from the walls, would also have hydrophilic surfaces.

Main does not specifically disclose the solid phase being a porous bed of particles having surfaces exposing a plurality of polar functional groups such that the surfaces of the particles are hydrophilic.

Sucholeiki discloses paramagnetic beads, used for binding ligands in chemical sensing applications, which have surfaces exposing a plurality of polar functional groups such that said surfaces are hydrophilic. (See Abstract and Col. 3 Lines 28-56)

It would have been obvious to one of ordinary skill in the art at the time of invention to use paramagnetic beads with hydrophilic surfaces as described by Sucholeiki in the device of Mian et al. because such paramagnetic beads are known in

the art to be used in chemical sensing applications as is required by Mian in order to provide more preferable conditions for linking a ligand to said paramagnetic beads.

Regarding claim 2, modified Mian discloses all of the claim limitations as set forth above, but the reference does not explicitly disclose the collection wherein at least one of the sets of the collection have a binding capacity difference with a factor ≥ 1.2 compared to the binding capacity for the set having the lowest binding capacity. Altering the binding capacities in different sets of microchannels/microcavities allows for more specific reaction and analysis of a wide range of sample types and concentrations and the precise binding capacity differences would have been considered a result effective variable by one having ordinary skill in the art at the time the invention was made. As such, without showing unexpected results, the claimed binding capacity difference factor cannot be considered critical. Accordingly, one of ordinary skill in the art at the time the invention was made would have optimized, by routine experimentation, the binding capacity difference factor in the apparatus of Mian et al. to obtain the desired analytic and reactive capabilities of the device. (In re Boesch, 617 F.2d. 272, 205 USPQ 215 (CCPA 1980)), since it has been held that where the general conditions of the claim are disclosed in the prior art, discovering the optimum or workable ranges involves only routine skill in the art. (In re Aller, 105 USPQ 223).

Regarding claim 3 modified Mian et al. discloses all the claim limitations as set forth above as well as the collection wherein at least one of said devices comprises

Art Unit: 1797

a) at least two of said sets of microchannel structures, and/or

b) only one set of microchannel structures, with the proviso that the collection

comprises two or more devices which are different with respect to the kind of sets

they carry. (See Fig. 17L where device contains more than one layer and set of

microchannel structures).

Further regarding limitations recited in claim 4 which are directed to a manner of

operating disclosed collection, it is noted that neither the manner of operating a

disclosed device nor material or article worked upon further limit an apparatus claim.

Said limitations do not differentiate apparatus claims from prior art. See MPEP § 2114

and 2115. Further, it has been held that process limitations do not have patentable

weight in an apparatus claim. See Ex parte Thibault, 164 USPQ 666, 667 (Bd. App.

1969) that states "Expressions relating the apparatus to contents thereof and to an

intended operation are of no significance in determining patentability of the apparatus

claim."

Regarding claim 5 modified Mian et al. discloses all the claim limitations as set

forth above as well as the collection wherein L is selected amongst biotin-binding

compounds and streptavidin-binding compounds, respectively, or vice versa. (See Col

43 Lines 30-37 biotin binding streptavidin is used).

Page 7

Regarding claim 6 modified Mian et al. discloses all the claim limitations as set forth above as well as the collection wherein L has two or more binding sites for B. (See Col 43 Lines 30-37 biotin binding streptavidin is used and it is inherent that streptavidin has more than one binding site for biotin).

Regarding claim 7 modified Mian et al. discloses all the claim limitations as set forth above as well as the collection wherein

- (a) that each set on a device is grouped into one or more groups of fluidly equivalent microchannel structures, and (See Fig. 17L where sets on each layer are groups of fluidly equivalent microchannel structures) and
- (b) that each group is located to a particular subarea of the device. (See Fig. 17L where each layer is a subarea of the device and contains a group)

Regarding claim 8 modified Mian et al. discloses all the claim limitations as set forth above as well as the collection wherein said reaction microcavity in at least one of said microchannel structures in the upstream direction is connected to a volume-metering unit. (See Fig. 13B and Col. 26 Lines 15-24).

Regarding claim 9 modified Mian et al. discloses all the claim limitations as set forth above as well as the collection wherein said volume-metering unit is part of an inlet arrangement for liquid. (See Fig. 13B and Col. 26 Lines 15-24)

Art Unit: 1797

Regarding claim 10 modified Mian et al. discloses all the claim limitations as set forth above as well as the collection wherein said reaction microcavity in at least one of said microchannel structures in the upstream direction is connected to a volume-metering unit and wherein said volume-metering unit within at least one of said group(s) is part of a distribution manifold for distributing liquid to the reaction microcavities of the group, with the proviso that each of said at least one group comprises two or more microchannel structures. (See Fig. 13B and Col. 26 Lines 15-24 where multiple samples are dispensed to a group of microchannels using volume-metering units).

Regarding claim 11 modified Mian et al. discloses all the claim limitations as set forth above as well as the collection wherein the inner wall of each of said volume-metering units has a sufficient hydrophilicity for said unit to filled by capillarity once an aqueous liquid have entered the unit, and b) a valve at its outlet end,. (See Col. 26 Lines 15-24 where volume metering units have appropriate specific surface properties and Col. 14 Lines 45-55 where hydrophilicity is a surface property and Col. 17 Lines 38-41 where fluid movement is controlled by valves).

Regarding claim 12 modified Mian et al. discloses all the claim limitations as set forth above as well as the collection wherein at least one of the solute S and its affinity counterpart ACs, and/or at least one of the binder B and the ligand L comprise a structure selected from the group_of amongst peptide structure consisting of including poly/oligo-peptide and protein structure, carbohydrate structure, lipid structure including

Art Unit: 1797

steroid structure, nucleotide structure including nucleic acid structure, and polymeric structure. (See Col. 43 Lines 30-34).

Further regarding limitations recited in claim 12 which are directed to a manner of operating disclosed collection, it is noted that neither the manner of operating a disclosed device nor material or article worked upon further limit an apparatus claim. Said limitations do not differentiate apparatus claims from prior art. See MPEP § 2114 and 2115. Further, it has been held that process limitations do not have patentable weight in an apparatus claim. See Ex parte Thibault, 164 USPQ 666, 667 (Bd. App. 1969) that states "Expressions relating the apparatus to contents thereof and to an intended operation are of no significance in determining patentability of the apparatus claim."

5. Claims 13-14 are rejected under 35 U.S.C. 103(a) as being unpatentable over Mian et al. (US 6,319,469) in view of Sucholeiki (US 5,858,534) as applied to claims 1-12 and 15 above in view of Jacobs et al. (US 2002/0095073)

Regarding claims 13 and 14 modified Mian et al. discloses all the claim limitations as set forth above as well as the collection wherein said solid phase is in a dry state (See Col. 39 Line 65- Col. 40 Line 2 where disk is dried) but does not disclose the collection comprising in addition to the solid phase one or more bed preserving agents or wherein at least one of said one or more bed-preserving agents is a microcavity adherence agent.

Art Unit: 1797

Jacobs et al. describes the use of a bed preserving agents wherein bedpreserving agents is a microcavity adherence agent. (See [0019] where cross-linked straptavidin is immobilized as a preserving agent)

It would have been obvious to one of ordinary skill in the art at the time of invention to use the bed preserving agent of Jacobs in the collection of Main because doing so helps preserve and stabilize the biological activity of the device. (See Jacobs [0019]).

Response to Arguments

6. Applicant's arguments with respect to claims 1-15 have been considered but are moot in view of the new ground(s) of rejection.

Conclusion

7. Any inquiry concerning this communication or earlier communications from the examiner should be directed to JONATHAN M. HURST whose telephone number is (571)270-7065. The examiner can normally be reached on Mon. - Thurs. 6:30-5:00; Every Fri. off.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Michael Marcheschi can be reached on (571)272-1374. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1797

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/J. M. H./

Examiner, Art Unit 1797

/Michael A Marcheschi/

Supervisory Patent Examiner, Art Unit 1797